























оцинк.0,55 / оцинк. 0,55
Базальтовое волокно






| | Дымоход | | | | Тройник | Отвод 90 град | Отвод 45 град | Конденсато- сборник | | Стакан разделительный |
|-----------|---|---|---|---|---|---|---|---|---|--------------------------|
| | 1,25 м | 1 м | 0,75 м | 0,5 м | | | | | | |
| d/D |  |  |  |  |  |  |  |  |  | |
| 100 / 180 | 1035 | 828 | 621 | 502 | 699 | 774 | 533 | 94 106 | 106 | |
| 105 / 180 | 1049 | 839 | 629 | 509 | 701 | 776 | 535 | 95 106 | 106 | |
| 110 / 190 | 1105 | 884 | 663 | 536 | 729 | 795 | 547 | 95 108 | 108 | |
| 115 / 200 | 1161 | 929 | 697 | 563 | 757 | 815 | 558 | 96 110 | 110 | |
| 120 / 200 | 1174 | 939 | 705 | 570 | 759 | 818 | 560 | 97 110 | 110 | |
| 125 / 200 | 1188 | 950 | 713 | 577 | 761 | 820 | 562 | 97 110 | 110 | |
| 130 / 210 | 1244 | 995 | 746 | 604 | 806 | 879 | 598 | 98 117 | 117 | |
| 135 / 220 | 1300 | 1040 | 780 | 631 | 852 | 939 | 636 | 99 125 | 125 | |
| 140 / 220 | 1313 | 1051 | 788 | 638 | 854 | 941 | 638 | 100 125 | 125 | |
| 150 / 230 | 1383 | 1106 | 830 | 672 | 903 | 1006 | 678 | 101 132 | 132 | |
| 160 / 240 | 1452 | 1162 | 871 | 706 | 954 | 1072 | 719 | 103 140 | 140 | |
| 170 / 250 | 1522 | 1217 | 913 | 740 | 1005 | 1140 | 761 | 104 148 | 148 | |
| 180 / 260 | 1591 | 1273 | 955 | 774 | 1058 | 1210 | 804 | 106 157 | 157 | |
| 200 / 280 | 1730 | 1384 | 1038 | 842 | 1166 | 1355 | 892 | 110 174 | 174 | |
| 220 / 300 | 1869 | 1495 | 1121 | 910 | 1307 | 1533 | 997 | 125 192 | 192 | |
| 250 / 330 | 2077 | 1662 | 1246 | 1013 | 1532 | 1821 | 1165 | 148 220 | 220 | |
| 280 / 360 | 2286 | 1828 | 1371 | 1115 | 1771 | 2133 | 1345 | 174 250 | 250 | |
| 300 / 380 | 2424 | 1940 | 1455 | 1183 | 1940 | 2355 | 1471 | 192 271 | 271 | |

| | Оголовок | Зонт | | Проход через кровлю | Хомут обжимной | Хомут | Хомут-растяжка | Консоль монтажная |
|-----------|---|---|---|---|---|---|---|-------------------|
| | | оц. | оц. | | | | | |
| d/D |  |  |  |  |  |  |  | |
| 100 / 180 | 415 | 353 | 377 | 1633 | по запросу | 131 | по запросу | 814 |
| 105 / 180 | 423 | 354 | 377 | 1642 | по запросу | 131 | по запросу | 814 |
| 110 / 190 | 435 | 355 | 383 | 1708 | по запросу | 135 | по запросу | 816 |
| 115 / 200 | 447 | 357 | 409 | 1774 | по запросу | 138 | по запросу | 818 |
| 120 / 200 | 455 | 358 | 409 | 1783 | по запросу | 138 | по запросу | 818 |
| 125 / 200 | 463 | 359 | 409 | 1792 | по запросу | 138 | по запросу | 818 |
| 130 / 210 | 480 | 361 | 442 | 1862 | по запросу | 142 | по запросу | 899 |
| 135 / 220 | 496 | 362 | 477 | 1933 | по запросу | 145 | по запросу | 905 |
| 140 / 220 | 504 | 364 | 477 | 1942 | по запросу | 145 | по запросу | 905 |
| 150 / 230 | 529 | 367 | 513 | 2022 | по запросу | 149 | по запросу | 912 |
| 160 / 240 | 554 | 370 | 551 | 2102 | по запросу | 152 | по запросу | 919 |
| 170 / 250 | 579 | 373 | 589 | 2182 | по запросу | 156 | по запросу | 926 |
| 180 / 260 | 604 | 377 | 629 | 2263 | по запросу | 159 | по запросу | 1015 |
| 200 / 280 | 654 | 409 | 713 | 2425 | по запросу | 166 | по запросу | 1029 |
| 220 / 300 | 712 | 477 | 802 | 2588 | по запросу | 174 | по запросу | 1043 |
| 250 / 330 | 800 | 589 | 944 | 2835 | по запросу | 184 | по запросу | 1154 |
| 280 / 360 | 888 | 713 | 1099 | 3084 | по запросу | 195 | по запросу | 1275 |
| 300 / 380 | 947 | 802 | 1208 | 3251 | по запросу | 202 | по запросу | 1288 |










оцинк. 0,55 / оцинк. 0,55








Минеральная вата

| d/D | Дымоход | | | | Тройник | Отвод 90 град | Отвод 45 град | Конденсато- сборник | | Стакан разделительный |
|-----------|---|---|---|---|---|---|------------------|------------------------|-----|--------------------------|
| | 1,25 м | 1 м | 0,75 м | 0,5 м | | | | | | |
| |  |  |  |  |  |  | | | | |
| 100 / 150 | 882 | 705 | 529 | 431 | 615 | 719 | 500 | 94 | 101 | 101 |
| 105 / 150 | 895 | 716 | 537 | 438 | 617 | 721 | 502 | 95 | 101 | 101 |
| 110 / 160 | 949 | 760 | 570 | 464 | 643 | 738 | 512 | 95 | 103 | 103 |
| 115 / 160 | 963 | 770 | 578 | 471 | 644 | 740 | 513 | 96 | 103 | 103 |
| 120 / 170 | 1017 | 814 | 610 | 498 | 671 | 757 | 523 | 97 | 104 | 104 |
| 125 / 170 | 1031 | 824 | 618 | 505 | 672 | 759 | 525 | 97 | 104 | 104 |
| 130 / 180 | 1085 | 868 | 651 | 531 | 699 | 776 | 536 | 98 | 106 | 106 |
| 135 / 180 | 1098 | 879 | 659 | 538 | 701 | 779 | 537 | 99 | 106 | 106 |
| 140 / 190 | 1153 | 922 | 692 | 564 | 728 | 797 | 548 | 100 | 108 | 108 |
| 150 / 200 | 1220 | 976 | 732 | 598 | 758 | 819 | 561 | 101 | 110 | 110 |
| 160 / 210 | 1288 | 1030 | 773 | 631 | 804 | 879 | 599 | 103 | 117 | 117 |
| 170 / 220 | 1356 | 1085 | 813 | 665 | 851 | 941 | 638 | 104 | 125 | 125 |
| 180 / 230 | 1423 | 1139 | 854 | 698 | 899 | 1005 | 678 | 106 | 132 | 132 |
| 200 / 250 | 1559 | 1247 | 935 | 765 | 999 | 1137 | 760 | 110 | 148 | 148 |
| 220 / 270 | 1694 | 1355 | 1017 | 831 | 1129 | 1300 | 857 | 125 | 165 | 165 |
| 250 / 300 | 1898 | 1518 | 1139 | 931 | 1336 | 1565 | 1013 | 148 | 192 | 192 |
| 280 / 330 | 2101 | 1681 | 1260 | 1031 | 1558 | 1853 | 1180 | 174 | 220 | 220 |
| 300 / 350 | 2236 | 1789 | 1342 | 1098 | 1715 | 2059 | 1299 | 192 | 240 | 240 |








| d/D | Оголовок | Зонт | | Проход через кровлю | Хомут обжимной | Хомут | Хомут-растяжка | Консоль монтажная |
|-----------|---|---|------|---------------------|---|---|---|-------------------|
| |  |  | | |  |  |  | |
| 100 / 150 | 398 | 353 | 367 | 1465 | по запросу | 121 | по запросу | 743 |
| 105 / 150 | 406 | 354 | 367 | 1474 | по запросу | 121 | по запросу | 743 |
| 110 / 160 | 417 | 355 | 370 | 1539 | по запросу | 124 | по запросу | 810 |
| 115 / 160 | 425 | 357 | 370 | 1548 | по запросу | 124 | по запросу | 810 |
| 120 / 170 | 436 | 358 | 373 | 1613 | по запросу | 128 | по запросу | 812 |
| 125 / 170 | 444 | 359 | 373 | 1622 | по запросу | 128 | по запросу | 812 |
| 130 / 180 | 456 | 361 | 377 | 1688 | по запросу | 131 | по запросу | 814 |
| 135 / 180 | 464 | 362 | 377 | 1697 | по запросу | 131 | по запросу | 814 |
| 140 / 190 | 475 | 364 | 383 | 1763 | по запросу | 135 | по запросу | 816 |
| 150 / 200 | 494 | 367 | 409 | 1838 | по запросу | 138 | по запросу | 818 |
| 160 / 210 | 518 | 370 | 442 | 1917 | по запросу | 142 | по запросу | 899 |
| 170 / 220 | 542 | 373 | 477 | 1997 | по запросу | 145 | по запросу | 905 |
| 180 / 230 | 567 | 377 | 513 | 2077 | по запросу | 149 | по запросу | 912 |
| 200 / 250 | 615 | 409 | 589 | 2237 | по запросу | 156 | по запросу | 926 |
| 220 / 270 | 673 | 477 | 670 | 2399 | по запросу | 163 | по запросу | 1022 |
| 250 / 300 | 759 | 589 | 802 | 2643 | по запросу | 174 | по запросу | 1043 |
| 280 / 330 | 845 | 713 | 944 | 2889 | по запросу | 184 | по запросу | 1154 |
| 300 / 350 | 902 | 802 | 1046 | 3055 | по запросу | 191 | по запросу | 1168 |








Нерж. AISI 430. 0,5 / оцинк. 0,55
Базальтовое волокно

| | Дымоход | | | | Тройник | Отвод 90 град | Отвод 45 град | Конденсато- сборник | | Стакан разделительный |
|-----------|---|---|---|---|---|---|---|---|---|--------------------------|
| | 1,25 м | 1 м | 0,75 м | 0,5 м | | | | нерж.430 | оц. | |
| d/D |  |  |  |  |  |  |  |  |  | |
| 100 / 180 | - | 1015 | 761 | 602 | 825 | 909 | 628 | 131 | 106 | 106 |
| 105 / 180 | - | 1035 | 776 | 614 | 830 | 915 | 632 | 133 | 106 | 106 |
| 110 / 190 | - | 1089 | 817 | 646 | 866 | 941 | 648 | 135 | 108 | 108 |
| 115 / 200 | - | 1144 | 858 | 678 | 902 | 968 | 664 | 137 | 110 | 110 |
| 120 / 200 | - | 1164 | 873 | 690 | 907 | 974 | 669 | 139 | 110 | 110 |
| 125 / 200 | - | 1184 | 888 | 702 | 913 | 981 | 673 | 141 | 110 | 110 |
| 130 / 210 | - | 1238 | 928 | 734 | 966 | 1049 | 716 | 143 | 117 | 117 |
| 135 / 220 | - | 1292 | 969 | 766 | 1020 | 1120 | 761 | 145 | 125 | 125 |
| 140 / 220 | - | 1312 | 984 | 778 | 1026 | 1127 | 765 | 147 | 125 | 125 |
| 150 / 230 | - | 1386 | 1040 | 822 | 1088 | 1207 | 815 | 151 | 132 | 132 |
| 160 / 240 | - | 1461 | 1095 | 866 | 1151 | 1289 | 867 | 156 | 140 | 140 |
| 170 / 250 | - | 1535 | 1151 | 910 | 1215 | 1374 | 919 | 160 | 148 | 148 |
| 180 / 260 | - | 1609 | 1207 | 954 | 1281 | 1460 | 972 | 165 | 157 | 157 |
| 200 / 280 | - | 1758 | 1318 | 1042 | 1418 | 1641 | 1083 | 175 | 174 | 174 |
| 220 / 300 | - | 1906 | 1430 | 1130 | 1594 | 1862 | 1214 | 199 | 192 | 192 |
| 250 / 330 | - | 2129 | 1597 | 1262 | 1873 | 2219 | 1422 | 237 | 220 | 220 |
| 280 / 360 | - | 2352 | 1764 | 1394 | 2172 | 2607 | 1646 | 277 | 250 | 250 |
| 300 / 380 | - | 2500 | 1875 | 1482 | 2382 | 2882 | 1804 | 306 | 271 | 271 |

| | Оголовок | Зонт | | Проход через кровлю | Хомут обжимной | Хомут | Хомут-растяжка | Консоль монтажная |
|-----------|---|---|---|---|---|---|---|-------------------|
| | | AISI 430 | оцинк. | | | | | |
| d/D |  |  |  |  |  |  |  | |
| 100 / 180 | 489 | 448 | 377 | 1633 | по запросу | 131 | по запросу | 814 |
| 105 / 180 | 501 | 452 | 377 | 1642 | по запросу | 131 | по запросу | 814 |
| 110 / 190 | 516 | 455 | 383 | 1708 | по запросу | 135 | по запросу | 816 |
| 115 / 200 | 532 | 459 | 409 | 1774 | по запросу | 138 | по запросу | 818 |
| 120 / 200 | 544 | 463 | 409 | 1783 | по запросу | 138 | по запросу | 818 |
| 125 / 200 | 555 | 466 | 409 | 1792 | по запросу | 138 | по запросу | 818 |
| 130 / 210 | 576 | 470 | 442 | 1862 | по запросу | 142 | по запросу | 899 |
| 135 / 220 | 596 | 474 | 477 | 1933 | по запросу | 145 | по запросу | 905 |
| 140 / 220 | 608 | 479 | 477 | 1942 | по запросу | 145 | по запросу | 905 |
| 150 / 230 | 640 | 487 | 513 | 2022 | по запросу | 149 | по запросу | 912 |
| 160 / 240 | 672 | 496 | 551 | 2102 | по запросу | 152 | по запросу | 919 |
| 170 / 250 | 704 | 506 | 589 | 2182 | по запросу | 156 | по запросу | 926 |
| 180 / 260 | 736 | 516 | 629 | 2263 | по запросу | 159 | по запросу | 1015 |
| 200 / 280 | 801 | 566 | 713 | 2425 | по запросу | 166 | по запросу | 1029 |
| 220 / 300 | 875 | 661 | 802 | 2588 | по запросу | 174 | по запросу | 1043 |
| 250 / 330 | 985 | 817 | 944 | 2835 | по запросу | 184 | по запросу | 1154 |
| 280 / 360 | 1095 | 989 | 1099 | 3084 | по запросу | 195 | по запросу | 1275 |
| 300 / 380 | 1168 | 1113 | 1208 | 3251 | по запросу | 202 | по запросу | 1288 |

Нерж. AISI 430. 0,5 / оцинк. 0,55
Минеральная вата

| | Дымоход | | | | Тройник | Отвод 90 град | Отвод 45 град | Конденсато- сборник | | Стакан разделительный |
|-----------|---|---|---|---|---|---|------------------|------------------------|---|--------------------------|
| | 1,25 м | 1 м | 0,75 м | 0,5 м | | | | нерж.430 | оцинк. | |
| d/D |  |  |  |  |  |  | | |  | |
| 100 / 150 | - | 892 | 669 | 531 | 731 | 847 | 591 | 131 | 101 | 101 |
| 105 / 150 | - | 912 | 684 | 543 | 736 | 852 | 595 | 133 | 101 | 101 |
| 110 / 160 | - | 965 | 724 | 574 | 768 | 875 | 609 | 135 | 103 | 103 |
| 115 / 160 | - | 985 | 739 | 586 | 773 | 880 | 613 | 137 | 103 | 103 |
| 120 / 170 | - | 1038 | 778 | 617 | 806 | 904 | 627 | 139 | 104 | 104 |
| 125 / 170 | - | 1058 | 793 | 629 | 811 | 910 | 632 | 141 | 104 | 104 |
| 130 / 180 | - | 1111 | 833 | 661 | 845 | 935 | 647 | 143 | 106 | 106 |
| 135 / 180 | - | 1131 | 848 | 673 | 850 | 941 | 651 | 145 | 106 | 106 |
| 140 / 190 | - | 1184 | 888 | 704 | 885 | 967 | 667 | 147 | 108 | 108 |
| 150 / 200 | - | 1256 | 942 | 747 | 926 | 1000 | 687 | 151 | 110 | 110 |
| 160 / 210 | - | 1329 | 997 | 791 | 985 | 1076 | 735 | 156 | 117 | 117 |
| 170 / 220 | - | 1402 | 1052 | 834 | 1044 | 1153 | 784 | 160 | 125 | 125 |
| 180 / 230 | - | 1475 | 1106 | 877 | 1105 | 1233 | 834 | 165 | 132 | 132 |
| 200 / 250 | - | 1621 | 1216 | 964 | 1232 | 1400 | 937 | 175 | 148 | 148 |
| 220 / 270 | - | 1767 | 1325 | 1051 | 1394 | 1604 | 1059 | 199 | 165 | 165 |
| 250 / 300 | - | 1985 | 1489 | 1181 | 1653 | 1934 | 1254 | 237 | 192 | 192 |
| 280 / 330 | - | 2204 | 1653 | 1311 | 1932 | 2295 | 1465 | 277 | 220 | 220 |
| 300 / 350 | - | 2349 | 1762 | 1397 | 2128 | 2552 | 1613 | 306 | 240 | 240 |

| | Оголовок | Зонт | | Проход через кровлю | Хомут обжимной | Хомут | Хомут-растяжка | Консоль монтажная |
|-----------|---|---|---|---|---|---|---|-------------------|
| | | AISI 430 | оцинк. | | | | | |
| d/D |  |  |  |  |  |  |  | |
| 100 / 150 | 472 | 448 | 367 | 1465 | по запросу | 121 | по запросу | 743 |
| 105 / 150 | 483 | 452 | 367 | 1474 | по запросу | 121 | по запросу | 743 |
| 110 / 160 | 498 | 455 | 370 | 1539 | по запросу | 124 | по запросу | 810 |
| 115 / 160 | 510 | 459 | 370 | 1548 | по запросу | 124 | по запросу | 810 |
| 120 / 170 | 525 | 463 | 373 | 1613 | по запросу | 128 | по запросу | 812 |
| 125 / 170 | 536 | 466 | 373 | 1622 | по запросу | 128 | по запросу | 812 |
| 130 / 180 | 552 | 470 | 377 | 1688 | по запросу | 131 | по запросу | 814 |
| 135 / 180 | 563 | 474 | 377 | 1697 | по запросу | 131 | по запросу | 814 |
| 140 / 190 | 578 | 479 | 383 | 1763 | по запросу | 135 | по запросу | 816 |
| 150 / 200 | 605 | 487 | 409 | 1838 | по запросу | 138 | по запросу | 818 |
| 160 / 210 | 636 | 496 | 442 | 1917 | по запросу | 142 | по запросу | 899 |
| 170 / 220 | 668 | 506 | 477 | 1997 | по запросу | 145 | по запросу | 905 |
| 180 / 230 | 699 | 516 | 513 | 2077 | по запросу | 149 | по запросу | 912 |
| 200 / 250 | 763 | 566 | 589 | 2237 | по запросу | 156 | по запросу | 926 |
| 220 / 270 | 835 | 661 | 670 | 2399 | по запросу | 163 | по запросу | 1022 |
| 250 / 300 | 943 | 817 | 802 | 2643 | по запросу | 174 | по запросу | 1043 |
| 280 / 330 | 1052 | 989 | 944 | 2889 | по запросу | 184 | по запросу | 1154 |
| 300 / 350 | 1124 | 1113 | 1046 | 3055 | по запросу | 191 | по запросу | 1168 |